


DEALER			COLOURS INFORMATION For Office Use Only		
Dealer:			Order Date:		
Account: P.O.#:			S/N:		
Ordered By:			RTS		
Address:			RTS: Phone:		
City: State: Zip:			Email:		
Phone: Fax:			SHIP TO		
Email:			Name: Ship Via:		
Customer Name:			Address:		
Customer Weight:			City: State: Zip:		
			Phone: Fax:		
CHAIR INFORMATION			PRICE		
RAZOR BLADE all terrain K0005			Base Wheel Chair Price K0005 \$ 2,400		
Fixed FSH-RSH			Total Section A \$		
Max. Capacity 250Lbs			Total Section B \$		
Main Frame : ZK55 & ZK60 High Grade A7000 Series Aluminum			Total Section C \$		
NOTE			Total Section D \$		
Main Frame : Lifetime Warranty			Total Section E \$		
*See warranty policy			Total Section F (Custom Parts Color) \$		
			\$		
			ORDER GRAND TOTAL \$		

A FRAME COLORS & PARTS COLORS

FRAME COLORS		
Powder-Coated ☐ Gloss Black ☐ Twilight Flake ☐ Yellow ☐ Magenta ☐ Fire Engine Red ☐ White ☐ Candy Blue ☐ Candy Purple ☐ Candy Green ☐ Candy Red ☐ Candy Raspberry ☐ Cobalt Blue ☐ Matte Gray ☐ Matte Purple ☐ Matte Blue ☐ Matte Green ☐ Matte Black ☐ Matte Red ☐ Orange Sparkle ☐ Mellon Yellow ☐ Gun Smoke Silver ☐ Pigeon Blue ☐ Granny Sparkle Green ☐ Sparkle Sky Blue ☐ Vermilion ☐ Reed Green ☐ Blue Lilac		\$ STD
Special ☐ Polished		\$ 800
PARTS COLORS (Custom Parts Color Section,		
STD Color Black Color (*Suspension Springs-Silver Color Only)		\$ STD
Custom Color Main Bolt on Parts One Color Package Including: Backrest, Foot Plate, Footrest Rings, Backrest Brackets, Saddle Stops, Forks & Knurl Nuts, Caps, Front Suspension Springs, Axle Tube, Axle Clamps, Axle Plates, Axle Bases, Camber Discs ☆marked parts	☐ Powder-Coated () ☐ Polished ☐ 24 karat Gold	\$ 500 \$ 750 \$ CFP
Total Section A		\$

B FRAME MEASUREMENTS 1/2

Caster Size	D (Approximately)
3" Caster	1.5"
4" Caster	2.0"
5" Caster	3.0"
8" Air Caster	5.5"



1. SEAT WIDTH	☐ 13" ☐ 14" ☐ 15" ☐ 16" ☐ 17" ☐ 18" ☐ 19"	\$	STD								
2. SEAT DEPTH	☐ Net Seat Depth ☐ 13" ☐ 14" ☐ 15" ☐ 16" ☐ 17" ☐ 18" ☐ 19"	\$	STD								
* Only Choose One Option	☐ 20" E2203	\$	300								
☐ Depth Adj. Frame	☐ Short Frame (16" Depth) Set at ☐ 13" ☐ 14" ☐ 15" ☐ 16" . .	\$	STD								
	☐ Long Frame (19" Depth) Set at ☐ 16" ☐ 17" ☐ 18" ☐ 19" . .	\$	STD								
☐ Positioning Frame	Add (")	\$	150								
☐ Ergo Seat Tubing Depth (")		\$	200								
3. FOOTREST WIDTH	☐ STD (Seat Width Minus 5") ☐ Taper on Bottom Frame only	\$	STD								
	☐ Custom (") ☐ Taper on Bottom Frame only	\$	150								
	☐ No Taper (Seat Width Minus 2")	\$	STD								
FOOT PLATE STYLE	☐ Standard single loop with adjust. height & angle. STD Foot Plate	\$	STD								
	☐ Single Flip-Back-single loop (no riser avail) with adjust. height & angle. STD Foot Plate . . . K0040	\$	150								
STD Foot Plate Size Chart	<table border="1"> <thead> <tr> <th>Your Footrest Width</th> <th>Foot Plate Size</th> </tr> </thead> <tbody> <tr> <td>8.5"-10.0"</td> <td>W6.5"xD5"</td> </tr> <tr> <td>10.5"-13.0"</td> <td>W8.5"xD6.5"</td> </tr> <tr> <td>13.5"-17.0"</td> <td>W11"xD6.5"</td> </tr> </tbody> </table>	Your Footrest Width	Foot Plate Size	8.5"-10.0"	W6.5"xD5"	10.5"-13.0"	W8.5"xD6.5"	13.5"-17.0"	W11"xD6.5"		
Your Footrest Width	Foot Plate Size										
8.5"-10.0"	W6.5"xD5"										
10.5"-13.0"	W8.5"xD6.5"										
13.5"-17.0"	W11"xD6.5"										
CUSTOM FOOT PLATE	☐ Custom Foot Plate. with adjust. height & angle	\$	75								
	*Available Solid Plate Only 										
	☐ Custom Tubular Footrest	\$	250								
	☐ With ABS Foot Plate (\$65 up charge)										
4. FRAME ANGLE	☐ 75° ☐ 80° ☐ 85° ☐ 90° to the ground	\$	STD								
	☐ Custom (°) to the ground	\$	NCO								

B FRAME MEASUREMENTS 2/2

5. BACKREST HEIGHT		☐ 8" ☐ 9" ☐ 10" ☐ 11" ☐ 12" ☐ 13" ☐ 14" ☐ 15" ☐ 16" ☐ 17" ☐ 18"	\$ STD																																
* Rigidizer bar 3.25" deep std.																																			
TYPE	☐ Locking mechan. with adjust. height & angle		\$ STD																																
	☐ Double Locking mechan. with adjust. height & angle		\$ 25																																
	☐ Omit Locking mechan.		\$ NCO																																
CUSTOM	☐ Welded Backrest Angle Set at (") to the ground *Non Folding Backrest . . .		\$ 150																																
	☐ Welded Side Guards *w / Welded Backrest only		\$ 450																																
	☐ Custom Backrest (ie: double rigidizer bars, custom depth, custom height, etc)		\$ 150																																
6. BACKREST ANGLE		Set at (°) to the ground *STD 90°	\$ STD																																
7. FRONT SEAT HEIGHT		☐ 17.0" ☐ 17.5" ☐ 18.0" ☐ 18.5" ☐ 19.0" ☐ 19.5" ☐ 20.0" ☐ 20.5" ☐ 21.0"	\$ STD																																
Front Seat Height Ranges		<table border="1"> <thead> <tr> <th>Caster Wheel Size</th> <th>Front Seat Height</th> </tr> </thead> <tbody> <tr> <td>3" Caster</td> <td>17.0" - 19.5"</td> </tr> <tr> <td>4" Caster</td> <td>17.0" - 20.0"</td> </tr> <tr> <td>5" Caster</td> <td>17.0" - 21.0"</td> </tr> <tr> <td>8" Air Caster</td> <td>18.0" - 21.0"</td> </tr> </tbody> </table>	Caster Wheel Size	Front Seat Height	3" Caster	17.0" - 19.5"	4" Caster	17.0" - 20.0"	5" Caster	17.0" - 21.0"	8" Air Caster	18.0" - 21.0"																							
Caster Wheel Size	Front Seat Height																																		
3" Caster	17.0" - 19.5"																																		
4" Caster	17.0" - 20.0"																																		
5" Caster	17.0" - 21.0"																																		
8" Air Caster	18.0" - 21.0"																																		
8. REAR SEAT HEIGHT		★ ☐ 14.5" ★ ☐ 15.0" ★ ☐ 15.5" ★Not Available w / Air Ride System ☐ 16.0" ☐ 16.5" ☐ 17.0" ☐ 17.5" ☐ 18.0" ☐ 18.5" ☐ 19.0" ★ ☐ 19.5"	\$ STD																																
*The rear seat heights are impacted by the size of your rear tire.																																			
☐ w/ Colours Air Ride System Rear Seat Height Option		Black Color ☐ Powder-Coated () (\$380 up charge) ☐ Polished Aluminum (\$800 up charge)	\$ 1,580																																
*Including ;Fox Racing Shox 300 HP Pump																																			
<table border="1"> <thead> <tr> <th colspan="2">STD Rear Seat Height Ranges</th> </tr> <tr> <th>Rear Tire Size</th> <th>Rear Seat Height</th> </tr> </thead> <tbody> <tr><td>24"x1"(540)</td><td>14.5"- 18.0"</td></tr> <tr><td>24"x1 3/8"(540)</td><td>15.0"- 18.0"</td></tr> <tr><td>25"x1"(559)</td><td>15.5"- 18.0"</td></tr> <tr><td>24"x2"(540)</td><td>15.5"- 18.5"</td></tr> <tr><td>26"x1"(590)</td><td>15.5"- 19.0"</td></tr> <tr><td>25"x1.95"(559)</td><td>16.0"- 19.0"</td></tr> </tbody> </table>		STD Rear Seat Height Ranges		Rear Tire Size	Rear Seat Height	24"x1"(540)	14.5"- 18.0"	24"x1 3/8"(540)	15.0"- 18.0"	25"x1"(559)	15.5"- 18.0"	24"x2"(540)	15.5"- 18.5"	26"x1"(590)	15.5"- 19.0"	25"x1.95"(559)	16.0"- 19.0"	<table border="1"> <thead> <tr> <th colspan="2">Rear Seat Height Ranges w/ Air Ride System</th> </tr> <tr> <th>Rear Tire Size</th> <th>Rear Seat Height</th> </tr> </thead> <tbody> <tr><td>24"x1"(540)</td><td>16.0"- 18.5"</td></tr> <tr><td>24"x1 3/8"(540)</td><td>16.5"- 19.0"</td></tr> <tr><td>25"x1"(559)</td><td>16.5"- 19.0"</td></tr> <tr><td>24"x2"(540)</td><td>17.0"- 19.5"</td></tr> <tr><td>26"x1"(590)</td><td>17.0"- 19.5"</td></tr> <tr><td>25"x1.95"(559)</td><td>17.5"- 19.5"</td></tr> </tbody> </table>	Rear Seat Height Ranges w/ Air Ride System		Rear Tire Size	Rear Seat Height	24"x1"(540)	16.0"- 18.5"	24"x1 3/8"(540)	16.5"- 19.0"	25"x1"(559)	16.5"- 19.0"	24"x2"(540)	17.0"- 19.5"	26"x1"(590)	17.0"- 19.5"	25"x1.95"(559)	17.5"- 19.5"	REAR SUSPENSION RATING ☐ Set up 50psi (For 80 lbs-110 lbs weight) ☐ Set up 60psi (For 110 lbs-140 lbs weight) ☐ Set up 80psi (For 140 lbs-170 lbs weight) ☐ Set up 100psi (For 170 lbs-200 lbs weight) ☐ Set up 120psi (For 200 lbs-230 lbs weight) ☐ Set up 150psi (For 230 lbs-250 lbs weight)
STD Rear Seat Height Ranges																																			
Rear Tire Size	Rear Seat Height																																		
24"x1"(540)	14.5"- 18.0"																																		
24"x1 3/8"(540)	15.0"- 18.0"																																		
25"x1"(559)	15.5"- 18.0"																																		
24"x2"(540)	15.5"- 18.5"																																		
26"x1"(590)	15.5"- 19.0"																																		
25"x1.95"(559)	16.0"- 19.0"																																		
Rear Seat Height Ranges w/ Air Ride System																																			
Rear Tire Size	Rear Seat Height																																		
24"x1"(540)	16.0"- 18.5"																																		
24"x1 3/8"(540)	16.5"- 19.0"																																		
25"x1"(559)	16.5"- 19.0"																																		
24"x2"(540)	17.0"- 19.5"																																		
26"x1"(590)	17.0"- 19.5"																																		
25"x1.95"(559)	17.5"- 19.5"																																		
*No Custom Modifications		*No Custom Modifications																																	
9. CENTER OF GRAVITY		★ ☐ 1.5" ★ ☐ 2.0" ☐ 2.5" ☐ 3.0" ☐ 3.5" ☐ 4.0" ☐ 4.5" ☐ 5.5" ☐ 6.0" ★Not Available w / Net Seat Depth Frame	\$ STD																																
10. CAMBER ANGLE		☐ 2° ☐ 4° ☐ 6°	\$ STD																																
11. FRONT OF SEAT SLING TO FRONT OF FOOTREST		★ ☐ 15.0" ★ ☐ 15.5" ★ ☐ 16.0" ☐ 16.5" ☐ 17.0" ☐ 17.5" ☐ 18.0" ☐ 18.5" ☐ 19.0" ☐ 19.5"	\$ STD																																
★Not Available w / 19.0" , 19.5" , 20.0" , 20.5" , 21.0" Front Seat Height																																			
*Measurement must be 1.5" shorter than your Front Seat Height																																			
HIGH MOUNT With Risers or Clamps	☐ 11.0" ☐ 11.5" ☐ 12.0" ☐ 12.5" ☐ 13.0" ☐ 13.5" ☐ 14.0" ☐ 14.5" ☐ 15.0" ☐ 15.5" ☐ 16.0" . . .		\$ 65																																
12. INSIDE WHEEL CLEARANCE	☐ 3/4"* ☐ 1" ☐ 1 1/4" ☐ 1 1/2" ☐ 1 3/4" ☐ 2" *3/4" Inside wheel clearance not available with 2 degree camber. (with the exception of Y-360 wheels) *3/4" Inside wheel clearance not available with Armrest *3/4" Inside wheel clearance not available with Bite Hub Locks		\$ STD																																
		Sub Total Section B 1/2 \$ Sub Total Section B 2/2 \$ Total Section B \$																																	

C WHEELS, TIRES & CASTERS, FORKS 1/2

WHEELS					
Standard Radial Spoke Wheel ☐ 24" (540) Only					\$ STD
Heat-Treated Wheel ☐ 24" (540) ☐ 25" (559) ☐ 26" (590)					\$ 250
Cross Knot Laced Spokes ☐ 24" (540) ☐ 25" (559) ☐ 26" (590)					\$ 250
Twister Super Strength wheel ☐ 24" (540) ☐ 25" (559) ☐ 26" (590)					\$ 300
SUN Fusion 16 Wheel ☐ 24" (540) ☐ 25" (559)					\$ 410
16 Black Spokes Hub Color ☐ Black ☐ Silver					
Y-360 Billet Wheels ☐ 24" (540) ☐ 25" (559) *Max. Capacity 220Lbs *Camber 0- 2° max *Not for Sports or Rugged use Style ☐ Saw Blade ☐ Hearts(25"only) ☐ T-Style(25"only)					\$ 999
Y-360 Billet Wheels MOD Style ☐ 25" (559) Only *Max. Capacity 220Lbs *Camber 0- 2° max *Not for Sports or Rugged use Style ☐ Tribal Sun ☐ Girls ☐ Eagle ☐ Holy Cross ☐ Hono Specify Powder Coat Color for Insert Only () *Choose from Frame Colors					\$ 1,499
Extra Options for Y-360 ☐ Spinners Clover (\$650 up charge) ☐ Powder-Coated Spokes Only () *Choose from Frame Colors (\$150 up charge)					
X-Core (3 Spokes comp) ☐ 25" (559) Only *Camber 0- 2° max *Not available with D's Lock *Not available with long tabs Wheel Color ☐ Black					\$ 743
Spinergy Spox 18 Spokes	☐ 24" (540) ☐ 25" (559) ☐ 26" (590) Spoke Color ☐ Black ☐ Red ☐ Yellow ☐ Blue ☐ White With Silver Hub With Black Hub With Black Hub With Black Hub With Black Hub				\$ 695
	☐ Custom Color Spoke Pattern Left Wheel Right Wheel Spokes Inside Color Outside Hub Color ☐ Black/ ☐ Silver ☐ Black/ ☐ Silver				\$ 795
Spinergy LX 12 Spokes	☐ 24" (540) ☐ 25" (559) ☐ 26" (590) Spoke Color ☐ Black ☐ Red ☐ Yellow ☐ Blue With Silver Hub With Black Hub With Black Hub With Black Hub ☐ White ☐ Neon Green ☐ Pink ☐ Orange With Black Hub With Black Hub With Black Hub With Black Hub				\$ 895
	☐ Custom Color Spoke Pattern Left Wheel Right Wheel Spokes Inside Color Outside Hub Color ☐ Black/ ☐ Silver ☐ Black/ ☐ Silver				\$ 995
Topolino Cabon Core WX2.5 Wheels Black Spokes Only ☐ 24" (540) ☐ 25" (559) *Max. Capacity 220Lbs					\$ 910
*Not available with D's Lock Nipples Color ☐ Red ☐ Yellow					
HANDRIMS					
Type	☐ Standard For 24", 25" or 26" Wheel Anodized Black (*Not available with Pro Wheels)				\$ STD
	☐ Vinyl Coated For 24", 25", 26" Wheel (*Not available with Pro Wheels)				\$ 142
	☐ Natural Fit For 24", 25" Wheel				
	☐ Standard Grip (Not available with short tabs. Not available with Y-360 Billet Wheels, X-Core, Topolino Wheels, Pro Wheels, Mag Wheels) .				\$ 295
	☐ Super Grip (Not available with short tabs. Not available with Y-360 Billet Wheels, X-Core, Topolino Wheels, Pro Wheels, Mag Wheels) . . .				\$ 340
	☐ Without Thumb Grip (Not available with Y-360 Billet Wheels, Not available with Pro Wheels, Mag Wheels)				\$ 270
	☐ Natural Fit (LT) For 24", 25" Wheel				
	☐ Standard Grip (Not available with short tabs. Not available with Y-360 Billet Wheels, X-Core, Topolino Wheels, Pro Wheels, Mag Wheels) .				\$ 325
	☐ Super Grip (Not available with short tabs. Not available with Y-360 Billet Wheels, X-Core, Topolino Wheels, Pro Wheels, Mag Wheels) . . .				\$ 370
	☐ Without Thumb Grip (Not available with Y-360 Billet Wheels, Not available with Pro Wheels, Mag Wheels)				\$ 300
	☐ The Surge Handrims * Not available with Y-360 Billet Wheels * w / X-Core Wheels required Installation fee (\$30) flat fee				\$ 315
	☐ The Surge Handrims (LT) * Not available with Y-360 Billet Wheels * w / X-Core Wheels required Installation fee (\$30) flat fee				\$ 340
☐ Spinergy Flex Rim Available only on 24" and 25" Spinergy LX.				\$ 495	
☐ Projections Handrims *Not available with Y-360 Billet Wheels, X-Core, Topolino Wheels, Pro Wheels, Mag Wheels) . . E0967 *Call For Availability				\$ CFP	
TAB LENGTH ☐ Long Tab (STD inside clearance 3/4") * Not available with X-Core Wheels					\$ STD
☐ Short Tab (Inside clearance 1/2") *Not available with Ultra Grip and Natural Fit Handrim with thumb grip					\$ STD
☐ Short Tab (Set closest to wheel cut off excess) * Not available with Y-360 wheel, Pro Wheels, X-Core, Pro Wheels					\$ 15

C WHEELS, TIRES & CASTERS, FORKS 2/2

TIRES

☐ High Pressure Tire ☐ 24"x1", ☐ 25"x1" or ☐ 26"x1" Gray Tire with black wall Only	E2211/E2212	\$ STD
☐ High Pressure Tire ☐ 24"x1", ☐ 25"x1" or ☐ 26"x1" ☐ Blue ☐ Red	E2211/E2212	\$ 65
☐ Low Pressure Tire ☐ 24"x1-3/8" or ☐ 26"x1-3/8" Gray Only	E2211/E2212	\$ STD
☐ E2211Schwalbe Marathon Plus High Pressure Tire ☐ 24"x1", ☐ 25"x1" or ☐ 26"x1" Black Only	E2211/E2212	\$ 99
☐ Solid Tire ☐ 24"x1", ☐ 25"x1" or ☐ 26"x1" ☐ Dark Gray ☐ Black(\$30up charge)	E2218	\$ 135
☐ E2211 Moderate V-Track Knobby Tire 24"x1-3/8" (37-540) Gray Only	E2211/E2212	\$ 117
☐ E2211 Aggressive Knobby Tire 24"x 2" (50-540) Gray Only	E2211/E2212	\$ 117
☐ E2211 Aggressive Knobby Tire 26"x 1.95" (50-559) Black Only	E2211/E2212	\$ 117
☐ E2213 Flat-Free Inserts For 24"x1-3/8" Tires Only	E2211/E2213	\$ 117

CASTERS

SIZE	TIRE WIDTH	HUB COLOR	TIRE COLOR	DESCRIPTION	
☐ 3"	1"	Black Hub	Black Tire Only	Polyeurethane	\$ STD
☐ 3"	1"	Plastic Black Hub	Clear Tire Only	Lighted, Polyurethane	\$ 65
☐ 3"	1"	Red Hub	Red Tire Only	Polyurethane	\$ STD
☐ 3"	1"	Black Hub	Clear Tire Only	Polyurethane	\$ STD
☐ 3"	1"	Aluminum Silver Hub	Black Tire Only	Made By Frog Legs	\$ 165
☐ 3"	1"	Aluminum Black Hub	Black Tire Only	Made By Frog Legs	\$ 165
☐ 3"	1.5"	Aluminum Silver Hub	Black Tire Only	Soft Roll Made By Frog Legs	\$ 165
☐ 3"	1.5"	Aluminum Black Hub	Black Tire Only	Soft Roll Made By Frog Legs	\$ 165
☐ 4"	1"	Plastic Black Hub	Black Tire Only		\$ STD
☐ 4"	1"	Plastic Black Hub	Clear Only	Lighted, Polyurethane	\$ 65
☐ 4"	1"	Aluminum Silver Hub	Black Tire Only	Made By Frog Legs	\$ 165
☐ 4"	1"	Aluminum Black Hub	Black Tire Only	Made By Frog Legs	\$ 165
☐ 4"	1.5"	Composite Black Hub	Tire ☐ Black ☐ Blue ☐ Red	Soft Roll Made By Frog Legs	\$ 135
☐ 4"	1.5"	Aluminum Silver Hub	Tire ☐ Black ☐ Blue ☐ Red	Soft Roll Made By Frog Legs	\$ 165
☐ 4"	1.5"	Aluminum Black Hub	Black Tire Only	Soft Roll Made By Frog Legs	\$ 165
☐ 5"	1"	Composite Black Hub	Black Tire Only		\$ STD
☐ 5"	1"	Plastic Black Hub	Clear Tire Only	Lighted, Polyurethane	\$ 65
☐ 5"	1"	Aluminum Silver Hub	Black Tire Only	Made By Frog Legs	\$ 165
☐ 5"	1"	Aluminum Black Hub	Black Tire Only	Made By Frog Legs	\$ 165
☐ 5"	1.5"	Aluminum Silver Hub	Tire ☐ Black ☐ Blue ☐ Red	Soft Roll Made By Frog Legs	\$ 165
☐ 5"	1.5"	Aluminum Black Hub	Black Tire Only	Soft Roll Made By Frog Legs	\$ 165
☐ 8"	1.5"	Composite Black Hub	Black Tire Only	8" Air Caster w/Monster Fork	\$ 200

FORKS

☐ STD Aluminum Forks With Suspension Springs Black Only	E1015	\$ STD
Extra Options for Aluminum Forks ☐ Without Suspension Springs		\$ NCO
☐ With Quick Release Axles	K0073	\$ 107
☐ Frog Leg Suspension Forks Std 1" Wide (For 3", 4" x 1" width Caster and 5" STD Caster, 5" lighted Caster) (Not available with Quick Release Axles)	E1015	\$ 575
Color ☐ Anodized Black ☐ Anodized Silver		
*Not Available w / 8x1.5" Casters		
☐ Frog Leg Suspension Forks 1.5" Wide (For 3", 4" x 1.5" width Caster and 5" x 1" & 5" x 1.5" Casters) (Not available with Quick Release Axles)	E1015	\$ 575
Color ☐ Anodized Black ☐ Anodized Silver		
*Not Available w / 8x1.5" Casters		

Sub Total Section C 1/2 \$

Sub Total Section C 2/2 \$

Total Section C \$

D COMPONENTS

WHEEL LOCKS

☐ Push to Lock / Anodized Black Only	\$ STD
☐ NEW Compact Push to Lock / Anodized Black Only ☐ w/ 2" Extension Handle (\$65up)	\$ 110
☐ NEW Compact Scissor Lock / Anodized Black Only	\$ 110

PUSH HANDLES

*If you are ordering push handles, You must select the backrest locking mechanism.

☐ Integrated w/Fixed Backrest Height / Anodized Black Only	\$ STD
☐ Bolt-on / Anodized Black Only Specify Height from floor -()	\$ 142
☐ Bolt-on w/Quick Release / Anodized Black Only Specify Height from floor -()	\$ 190
☐ NEW Height Adj. / Anodized Black Only Specify Maximum height from floor -()	\$ 295


NEW ARM RESTS

Anodized Black Only,

☐ Fixed Tubular Armrest	Adj. Angle and Height	Height from seat sling Set at : ☐ 8" ☐ 9" ☐ 10" ☐ 11" ☐ 12" E0973	\$ 250
☐ Swing Away Tubular Armrest	Adj. Angle and Height	Height from seat sling Set at : ☐ 8" ☐ 9" ☐ 10" ☐ 11" ☐ 12" E0973	\$ 250
☐ Flip-Up Armrest	☐ w/Fixed Tubular Armrest	Height from seat sling Set at : ☐ 8" ☐ 9" ☐ 10" ☐ 11" ☐ 12" E0973	\$ 250
	Adj. Angle ☐ w/ Swing Away Tubular Armrest	Height from seat sling Set at : ☐ 8" ☐ 9" ☐ 10" ☐ 11" ☐ 12" E0973	\$ 250

☐ Custom Length & Height (\$150 up charge)

*Specify Height & Length →





ANTI-TIPPERS

☐ Anti-Tippers (pair) w/ Quick Release / Anodized Black Only	E0971	\$ 112
---	-------	--------

SIDE GUARDS

☐ Rigid Side Guards - Black ABS	☐ Non-Removable ☐ Removable ☐ Removable w/Hole (\$10 up charge)		\$ 142
	Size: ☐ STD ☐ Medium ☐ Cut to Wheel (\$98 up charge) Measurement		
	Color: Black Only		
☐ Rigid Side Guards - Aluminum	☐ Non-Removable ☐ Removable		\$ 197
	Size: ☐ Medium Only ☐ Cut to Wheel (\$98 up charge) Measurement		
	Color ☐ Black (STD) ☐ Pol. Aluminum (STD)		
	☐ Powder Coated () (\$50 up charge)		
	☐ Gold Plate (+CFP)		



☐ PRO-TEX Fender Guards / (Black ABS -Only) ☐ Cut to Fit Specs ☐ Do Not Install	\$ 175
☐ Fabric Clothing Guards Black Nylon w/Velcro	\$ 78

SEAT CUSHION

*Please see section E for other cushion choices.-

☐ Foam Cushion w/Nylon Black Cover Thickness ☐ 1" ☐ 2" ☐ 3" ☐ 4"	\$ 78
☐ Custom Cushion Cover (Std. Foam Cushion Only) -Select Fabric () (\$90 up charge)	

MISCELLANEOUS

☐ Frame Protectors / Black Leather/Zipper Type	\$ 78
☐ K0065 Spoke Protectors / Black Only ☐ 24" ☐ 25" ☐ 26"	K0065 \$ 107
☐ E0978 Seat Belt w/Auto Buckle (BP) 1.5" Black Belt Only	E0978 \$ 69
☐ Tie Down Brackets 4pcs.	\$ 210

UPHOLSTERY CHOICE & COLOR

*Positioning Back Available. Please see Section E

☐ Standard Adjustable Ht Backrest Black Only	\$ STD
☐ Adjustable Tension Backrest Black Only (*Not available with 8" Backrest Height)	\$ 135
Custom Options ☐ Fabrics for Fun ☐ 001 ☐ 002 ☐ 003 ☐ 004 ☐ 006 ☐ 010 ☐ 011 . . . (\$95 up charge)	
For Std. or Adj. Style ☐ 014 ☐ 015 ☐ 016 ☐ 017 ☐ 018 ☐ 020 ☐ 021 ☐ 022 ☐ 023 ☐ 024 ☐ 025 ☐ 026 ☐ 027 ☐ 028	
☐ Backrest Leather Trim (outside panels) (\$77 up charge)	
☐ Calf Strap ☐ Black ☐ Matching Fabric (\$55 up charge) -Select Fabric()	K0038 \$ 24
☐ Matching Fabric on Padded Side Guards -Select Fabric ()	\$ 210

Total Section D \$

E CHAIR OPTIONS 1/2

SEAT CUSHION

SUPRACOR® WHEELCHAIR CUSHIONS

Stimulite® Contoured Cushion *Black Upholstery only	☐ W14"xD16" (CD1416)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E2603	\$ 525
	☐ W16"xD16" (CD1616)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E2603	\$ 525	
	☐ W16"xD18" (CD1618)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E2603	\$ 525	
	☐ W18"xD16" (CD1816)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E2603	\$ 525	
	☐ W18"xD18" (CD1818)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E2603	\$ 525	
	☐ W18"xD20" (CD1820)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E2603	\$ 540	
	☐ W20"xD16" (CD2016)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E2603	\$ 540	
	☐ W20"xD18" (CD2018)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E2603	\$ 540	
	☐ W20"xD20" (CD2020)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E2603	\$ 555	
																																			☐ Extra Sensitive (\$30 up charge)		
																																			☐ Sling Style Bottom (\$45 up charge)		
																																			☐ Custom Size W(") x D(") (\$- CFP)		

Stimulite® Slimline Cushion *Black Upholstery only	☐ W14"xD16" (SM1416)		E2603	\$ 495
	☐ W16"xD16" (SM1616)		E2603	\$ 495
	☐ W16"xD18" (SM1618)		E2603	\$ 495
	☐ W18"xD18" (SM1818)		E2603	\$ 495
	☐ W18"xD20" (SM1820)		E2603	\$ 495
	☐ W20"xD16" (SM2016)		E2603	\$ 510
	☐ W20"xD18" (SM2018)		E2603	\$ 510
	☐ W20"xD20" (SM2020)		E2603	\$ 510
		☐ Extra Sensitive (\$30 up charge) ☐ Sling Style Bottom (\$45 up charge) ☐ Custom Size W(") x D(") (\$- CFP)		

Stimulite® Corbee Pediatric *Black Upholstery only	☐ W10"xD10" (PD1010)	E2603	\$ 450
	☐ W12"xD12" (PD1212)	E2603	\$ 450
	☐ W14"xD14" (PD1414)	E2603	\$ 450
	☐ Extra Sensitive (\$30 up charge) ☐ Sling Style Bottom (\$45 up charge) ☐ Custom Size W() x D() (\$- CFP)		

ROHO WHEELCHAIR CUSHIONS

☐ 4" HIGH PROFILE® QUADTRO SELECT® CUSHION								*Black Upholstery	E2622-2623								\$ 525
Choose Size	☐ W12"xD12"	☐ W12"xD13"	☐ W13"xD13"	☐ W13"xD15"	☐ W13"xD16"	☐ W15"xD13"	☐ W15"xD15"										
	☐ W15"xD16"	☐ W15"xD18"	☐ W16"xD15"	☐ W16"xD16"	☐ W16"xD18"	☐ W16"xD20"	☐ W18"xD15"										
	☐ W18"xD16"	☐ W18"xD18"	☐ W18"xD20"	☐ W18"xD22"	☐ W20"xD16"	☐ W20"xD18"	☐ W20"xD20"										
	☐ W20"xD22"	☐ W22"xD18"	☐ W22"xD20"	☐ W22"xD22"	☐ Custom Size W() x D()	(\$+85)											

☐ 3" MID PROFILE® QUADTRO SELECT® CUSHION		*Black Upholstery only		E2622-2623		\$ 525	
Choose Size	☐ W15"xD15" ☐ W15"xD16" ☐ W16"xD16"		☐ W16"xD18" ☐ W18"xD16" ☐ W18"xD18"				
			☐ Custom Size W() x D()		(\$+85)		

☐ 2" LOW PROFILE® QUADTRO SELECT® CUSHION		*Black Upholstery only						E2622-2623	\$ 525
Choose Size	☐ W12"xD12"	☐ W12"xD13"	☐ W13"xD13"	☐ W13"xD15"	☐ W13"xD16"	☐ W15"xD13"	☐ W15"xD15"		
	☐ W15"xD16"	☐ W15"xD18"	☐ W16"xD15"	☐ W16"xD16"	☐ W16"xD18"	☐ W16"xD20"	☐ W18"xD15"		
	☐ W18"xD16"	☐ W18"xD18"	☐ W18"xD20"	☐ W20"xD16"	☐ W20"xD18"	☐ W20"xD20"			
	☐ Custom Size W(") x D(") (\$+85)								

☐ 2" NEXUS SPIRIT® CUSHION *Black Upholstery only								E2622	\$ 525
Choose Size	☐ W14"xD14"	☐ W14"xD16"	☐ W15"xD15"	☐ W16"xD16"	☐ W16"xD18"	☐ W17"xD17"	☐ W18"xD16"		
	☐ W18"xD18"	☐ W20"xD18"	* Custom Size Not Available						

STAR CUSHIONS

Galaxy Cushion *Black Upholstery only		Choose Zoning Options	E2624	\$ 498
☐ W14"xD14" (GXY 1414-2)	☐ W14"xD16" (GXY 1416-2)	☐ Standard - Dual Valve		
☐ W16"xD14" (GXY 1614-2)	☐ W16"xD16" (GXY 1616-2)	☐ Dual Valve - Front to Back		
☐ W16"xD18" (GXY 1618-2)	☐ W18"xD16" (GXY 1816-2)	☐ Four Valve		
☐ W18"xD18" (GXY 1818-2)	☐ W18"xD20" (GXY 1820-2)	☐ Simple - Single Valve		
☐ W20"xD16" (GXY 2016-2)	☐ W20"xD18" (GXY 2018-2)	☐ Four Valve - Enhanced		
☐ W20"xD20" (GXY 2020-2)		☐ Four Valve - Front to Back		


THE CURVE CUSHION *Black Upholstery only	☐ W10"xD10"	☐ W10"xD11"	☐ W10"xD11"	☐ W10"xD12"	☐ W11"xD12"	☐ W12"xD12"	\$ 133
	☐ W12"xD13"	☐ W12"xD14"	☐ W13"xD11"	☐ W13"xD12"	☐ W13"xD13"	☐ W13"xD14"	
	☐ W14"xD14"	☐ W14"xD15"	☐ W14"xD16"	☐ W15"xD14"	☐ W15"xD 15"	☐ W15"xD16"	
	☐ W16"xD14"	☐ W16"xD15"	☐ W16"xD16"	☐ W16"xD17"	☐ W16"xD18"	☐ W17"xD16"	
	☐ W17"xD17"	☐ W17"xD18"	☐ W18"xD16"	☐ W18"xD17"	☐ W18"xD18"		

NOTE

E CHAIR OPTIONS 2/2

POSITIONING BACK

***Note : Actual height of the backrest will increase 2" or more.**



ADI CARBON BACKREST (Support Contour-ACTIVE 2.5") *Not Available with Welded Side Guards

Mounting Hardware: ☐ 2 Point Pro ☐ Quick Release

Height	☐ LOW (10" Tall) *Backrest Height requires 12" or more *Available 13"-19" width	Width ()	E2613	\$ 745
	☐ Medium (13" Tall) *Backrest Height requires 15" or more *Available 13"-19" width	Width ()	E2613	\$ 815
	☐ Standard (16" Tall) *Backrest Height requires 18" or more *Available 13"-19" width	Width ()	E2613	\$ 880
	☐ Custom Size (" Tall) x (" width)		E2613	\$ CFP

ADI ALUMINUM BACKREST (Support Contour-ACTIVE 2.5") *Not Available with Welded Side Guards

Mounting Hardware: ☐ 2 Point Pro ☐ Quick Release

Height	☐ LOW (10" Tall) *Backrest Height requires 12" or more *Available 10"-20" width	Width ()	E2613	\$ 610
	☐ Medium (13" Tall) *Backrest Height requires 15" or more *Available 12"-20" width	Width ()	E2613	\$ 625
	☐ Standard (16" Tall) *Backrest Height requires 18" or more *Available 14"-20" width	Width ()	E2613	\$ 640
	☐ Tall (18" Tall) *Backrest Height requires 20" or more *Available 16"-20" width	Width ()	E2613	\$ 655
	☐ X-Tall (20" Tall) *Backrest Height requires 22" or more *Available 16"-20" width	Width ()	E2613	\$ 670
	☐ Custom Size (" Tall) x (" width)		E2613	\$ CFP

ADI ALUMINUM BACKREST (Support Contour-DEEP 4") *Not Available with Welded Side Guards *Not Available with Lateral Supports

Mounting Hardware: ☐ 2 Point Pro ☐ Quick Release

Height	☐ LOW (10" Tall) *Backrest Height requires 12" or more *Available 10"-20" width	Width ()	E2615	\$ 710
	☐ Medium (13" Tall) *Backrest Height requires 15" or more *Available 12"-20" width	Width ()	E2615	\$ 725
	☐ Standard (16" Tall) *Backrest Height requires 18" or more *Available 14"-20" width	Width ()	E2615	\$ 740
	☐ Tall (18" Tall) *Backrest Height requires 20" or more *Available 16"-20" width	Width ()	E2615	\$ 755
	☐ X-Tall (20" Tall) *Backrest Height requires 22" or more *Available 16"-20" width	Width ()	E2615	\$ 770
	☐ Custom Size (" Tall) x (" width)		E2615	\$ CFP

ADI LATERAL SUPPORTS (Lateral Supports are compatible with only active 2.5" ADI positioning back.)

☐ Stationary Pad	Pad Size ☐ Small (3" H x 3" D) ☐ Medium(3" H x 4" D) ☐ Large(4.5" H x 4.5" D) ☐ Large(4" H x 6" D)	
	☐ Pair	\$ 320
	☐ Left side only or ☐ Right side only	\$ 160
☐ Swing-Out	Pad Size ☐ Small (3" H x 3" D) ☐ Medium(3" H x 4" D) ☐ Large(4.5" H x 4.5" D) ☐ Large(4" H x 6" D)	
	☐ Pair	\$ 520
	☐ Left side only or ☐ Right side only	\$ 260

OTHER

☐ ADI Transfer Board	☐ 21" (ADV21) ☐ 24" (ADV24) ☐ 29"	\$ 62
☐ ADI Push and Transfer Gloves	Leather (one size fits)	\$ 60
☐ ADI Carbon Solid Seat	(Wide: 18" Max, Depth: 20") ※Colours Side Guards Not Available with ADI Carbon Solid Seat	\$ 625
	With / ☐ ADI Folding Carbon Side Guard	\$ 400
	With / ☐ ADI Fixed Carbon Side Guard	\$ 375

VARILITE® Seating Systems Available

Please visit for all options. www.varilite.com

CFP

NOTE

Sub Total Section E 1/2 \$

Sub Total Section E 2/2 \$

Total Section E \$

F SPECIAL PARTS COLORS (Please allow an additional 1-2 weeks delivery)

PARTS COLORS

Powder-Coated	Gloss Black	Twilight Flake	Yellow	Magenta	Fire Engine Red	White
	Candy Blue	Candy Purple	Candy Green	Candy Red	Candy Raspberry	Cobalt Blue
	Matte Gray	Matte Purple	Matte Blue	Matte Green	Matte Black	Matte Red
			Orange Sparkle	Mellon Yellow	Gun Smoke Silver	Pigeon Blue
	Granny Sparkle Green	Sparkle Sky Blue	Vermilion	Reed Green	Blue Lilac	

Special Colors Polished Aluminum
24 karat Gold Plated *Please allow an additional 4 weeks delivery

Please Choose the Color for each Part

*Parts not selected will be black color. (Suspension Spring: Silver Color)

*Minimum 3 parts selected per order.

*PC=Powder-Coated

Saddle Stops

- ☐ PC () \$40
- ☐ Polished \$115
- ☐ Gold Plated . . . \$CFP

Backrest

- ☐ PC () \$125
- ☐ Polished \$225
- ☐ Gold Plated . . . CFP

Backrest Brackets

- ☐ PC () \$90
- ☐ Polished \$115
- ☐ Gold Plated . . . \$CFP

Foot Plate

- ☐ PC () \$45
- ☐ Polished \$90
- ☐ Gold Plated . . . \$CFP

Footrest Rings

- ☐ PC () \$20
- ☐ Polished \$40
- ☐ Gold Plated . . . \$CFP

Foot Plate Clamps

- ☐ PC () \$50
- ☐ Polished \$75
- ☐ Gold Plated . . . \$CFP

Axle Clamp

- ☐ PC () \$50
- ☐ Polished \$75
- ☐ Gold Plated . . . \$CFP

Axle Tube

- ☐ PC () \$50
- ☐ Polished \$75
- ☐ Gold Plated . . . \$CFP

Axle Bases

- ☐ PC () \$50
- ☐ Polished \$75
- ☐ Gold Plated . . . \$CFP

Upper A-Arms

- ☐ PC () \$100
- ☐ Polished \$300
- ☐ Gold Plated . . . \$CFP

Lower A-Arms

- ☐ PC () \$100
- ☐ Polished \$280
- ☐ Gold Plated . . . \$CFP

Suspension Mounts

- ☐ PC () N/A
- ☐ Polished \$90
- ☐ Gold Plated . . . \$CFP

Caps

- ☐ PC () \$20
- ☐ Polished N/A
- ☐ Gold Plated . . . N/A

Front Springs

- ☐ PC () \$20
- ☐ Polished N/A
- ☐ Gold Plated . . . N/A

Forks & Knurl Nuts

- ☐ PC () \$65
- ☐ Polished \$90
- ☐ Gold Plated . . . \$CFP

Axle Plates

- ☐ PC () \$65
- ☐ Polished \$85
- ☐ Gold Plated . . . \$CFP

Camber Plates

- ☐ PC () \$50
- ☐ Polished \$75
- ☐ Gold Plated . . . \$CFP

Suspension Main Frame

- ☐ PC () \$150
- ☐ Polished \$400
- ☐ Gold Plated . . . \$CFP

Camber Plate

- ☐ PC () \$50
- ☐ Polished \$75
- ☐ Gold Plated . . . \$CFP


Axle Plate

- ☐ PC () \$60
- ☐ Polished \$180
- ☐ Gold Plated . . . \$CFP


Total Section F \$

1. SEAT WIDTH


Measure from outside of seat tube to the outside of the opposite seat tube.

**2. SEAT DEPTH**


Measure from at the front bottom of backrest tube to the front edge of seat sling.

**3. FOOTREST WIDTH**


Measure from inside of front frame tube to inside of opposite front frame tube.

**4. FRAME ANGLE**


Measure angle frame front to floor.

**5. BACKREST HEIGHT**


Measure from top of back post to seat sling at front bottom of backrest tube.

**6. BACKREST ANGLE**


Measure angle from front of back post to floor.

**7. FRONT SEAT HEIGHT**

Measure from floor to top of seat sling at front edge.


**8. REAR SEAT HEIGHT**

Measure from floor to top of seat sling at front bottom of backrest tube.


**9. CENTER OF GRAVITY**

Measure from center of back tube at the folding pivot to the center of the rear axle.


(If welding backrest is selected, Measure from center of back tube at the seat tube to the center of the rear axle.)

**10. CAMBER ANGLE**

Measure angle from wheel to vertical at floor.

**11. FRONT OF SEAT SLING TO FOOTREST****ADULT CHAIR**

Measure from top of seat sling at front edge to top of foot plate at front edge.

**PEDIATRIC CHAIR**

Measure vertical from top of seat sling at front edge to top of foot plate.

**12. INSIDE WHEEL CLEARANCE**

Measure from outside of seat back tube to inside of rear tire.

(If side guards are selected, measure from outside of side guards to inside of rear tire.)

